



**NOTES:**

1. SPECIAL CIRCUMSTANCES MAY REQUIRE THE NEED FOR WATERTIGHT FRAMES, GASKETED OR BOLTED LIDS, ETC. AS DIRECTED BY THE CITY OF RENO. DETAILED PLANS OF ANY SPECIAL MANHOLE FRAMES AND/OR COVERS MUST BE APPROVED BY THE CITY ENGINEER.
2. DEETER FOUNDRY COVER AND FRAME #9020 OR APPROVED EQUAL.
3. FURNISHED WITH MACHINED HORIZONTAL BEARING SURFACE.
4. CAST GRAY IRON, ASTM A-48, CLASS 35B, NO PAINT.

|                   |              |       |  |                            |          |
|-------------------|--------------|-------|--|----------------------------|----------|
| NO.               | REVISION     | DATE  | STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION | SECTION RENO               |          |
| 1                 | LOGO MANHOLE | 01/04 | 24" STORM DRAIN<br>MANHOLE FRAME & COVER       | DRAWING NO.<br>R-215 (326) |          |
|                   |              |       |  |                            |          |
|                   |              |       |  |                            |          |
| APPROVED BY: G.S. |              | 01/04 |  | DATE 08/00                 | PAGE 220 |